


INFLATABLE TUMBLING TRACK (Ref. 6300)

- Flat working surface
- Effective dynamism
- Stability for push-offs
- Ideal for training sessions
- Allows repeated practice while reducing strain injuries on the joints
- Quick set up and easy storage
- Adjustable pressure to suit different levels of practice



COMPOSITION



1 - Inflatable runway only Ref. 6301

- Positioned in front of the inflatable tumbling track
- With 6 carrying handles, 4 valves and a hook-and-loop strip at one end
- Supplied with an inflator, a repair kit and a transport cover
- Size: 10 m x 1 m x 30 cm (L x W x Thk.)

2 - Inflatable tumbling track only Ref. 6302

- The track markings comply with FIG requirements
- With 14 carrying handles, 4 valves and hook-and-loop strips across both ends
- Supplied with 2 inflators, a pressure gauge, a repair kit and a transport cover
- Size: 26 m x 2 m x 30 cm (L x W x Thk.)



3 - Connection kit - Ref. 6303

- System to connect the runway (Ref. 6301) and landing area (Ref. 6304) to the tumbling track (Ref. 6302)
- Consists of 2 connecting flaps



Ref. 6303

4 – Dedicated landing zone - Ref. 6304

- Keeps gymnasts safe during landings
- Provides stability and comfort
- Consists of double-density foam mats covered with a 1000 denier phthalate-free PVC cover with class M2 fire rating
- Areas connected and marked using hook-and-loop strips
- Size: 6 m x 3 m x 30 cm (L x W x Thk.)

5 - Over-mat only - Ref. 6295

- Provides extra comfort during landings
- Optional product: not supplied with Ref. 6300
- Size: 4 m x 2 m x 10 cm (L x W x Thk.)